DO NOT SCALE FROM THIS DRAWING - STATED DIMENSIONS REFER. CONTRACTORS SHALL BE RESPONSIBLE FOR THE CHECKING OF ALL STATED DIMENSIONS, WITH ANY ANOMALIES BEING IDENTIFIED TO THE ORIGINATOR PRIOR TO ANY CONSTRUCTION OR FABRICATION WORKS COMMENCING.

PLANNING

GOODS ONLY LIFT - SSL SPEC. TYPE F1 2500kg;

AC ENCLOSURE WITH ACOUSTIC LOUVERS EITHER SIDE OFF LONG ELEVATION

NOTE - EXISTING WALL TO BE REMOVED, COLUMNS RETAINED AS INDICATED; IT IS ASSUMED THAT 'BEAMS' NOTED BEAR ONTO THE EXISTING BEAM ABOVE THE REMOVED WALL; SOME SECONDARY STRUCTURE MAY BE REQUIRED; EXISTING RAISED FLOOR TO BE REMOVED, NEW FLOOR FORMED FLUSH WITH MAIN AREA - ALL SUBJECT TO STRUCTURAL ENGINEER'S DETAILS.

Goods Lift

MEANS OF ESCAPE

FOR DETAILS REFER TO DRAWING RF 84108 SK001B_NOISE SOLUTIONS LTD

NOT IN SSL DEMISE

NOTE - EXTERNAL REFRIGERATION PLANT - FOUR FAN UNIT INDICATED - LOCATED IN REAR YARD AREA; 2100 HIGH TIMBER HIT & MISS, LOUVRE OR OPEN MESH ENCLOSURE WITH GATED ACCESS; EXISTING TIMBER STORAGE SHED DEMOLISHED; FINAL PLANT SPECIFICATION TO BE CONFIRMED, PENDING NOISE REQUIREMENTS, RESIDENTIAL WINDOWS TO THREE SIDES.

6 FAN CONDENSER ON EXTENDED LEGS

NOT IN SSL DEMISE

NOTE - UPPER PART OF STAIR REMOVED, TO ALLOW FLOOR TO BE INFILLED - SHOWN RED HATCHED; DOOR TO ADJACENT CORRIDOR TO BE BLOCKED OFF PERMANENTLY.

STAIRS UP 5R@150

UNSBM =2285

UNSBM =2285

1000

RAMP UP 1:15 (140mm)

STEP UP (140mm)

1241

RSD

CRASH PAD ACCESS SECURE DOOR

MEANS OF ESCAPE

THREE EXISTING WINDOWS TO BE RETAINED; ATM IN SECURE ROOM, WITH THROAT CENTRED ON OPENING.

ENTRANCE

NOTE - DOOR WILL NEED TO BE HANDED FOR MEANS OF ESCAPE

NOTE - THESE STAIRS REQUIRED FOR SECONDARY MEANS OF ESCAPE FROM BASEMENT.

PROPOSED GROUND FLOOR PLAN 1:50 SCALE

GOODS ONLY LIFT - SSL SPEC. TYPE F1 2500kg; NOTE - 150 DEEP PIT WILL BE REQUIRED TO BE FORMED IN THE BASEMENT SLAB - IF THIS CANNOT BE ACHIEVED, A RAMP AT 1:12 MINIMUM WILL NEED TO BE PROVIDED

NOTE - EXISTING EXTERNAL DOOR TO BASEMENT NOT REQUIRED - OPENING TO BE INFILLED WITH MASONRY; THREE A/C UNITS LOCATED IN EXISTING STAIRWELL

LIFT MOTOR

MEANS OF ESCAPE

NOTE - NEW PARTITION LOBBY & DOOR TO FOOT OF STAIRCASE

NOTE - STAIR BLOCKED OFF

MEANS OF ESCAPE

TOTAL ROLL PALLET PROVISION - 25

EXISTING RAISED AREA, APPROX. 210 HIGH. - DEMOLITION TO BE INVESTIGATED TO IMPROVE HOLDING AREA

PROPOSED BASEMENT PLAN 1:100 SCALE

Revision	Date	Description
'D'	07/11/12	PLANS updated
'C'	26/10/12	PLANS updated
'B'	24/10/12	PLANS updated
'A'	25/09/12	PLANT AND AC ENCLOSURE ADDED THE DRAWING SPECIFYING LOCATION AND REQUIRED ANNOTATION.

arc part of riley consulting

Design Consultants

21-22 Great Sutton Street, London, EC1V 0DY

Tel: 020 7017 8990
Fax: 020 7017 8999

Email: info@a-rc.co.uk
Web: www.a-rc.co.uk

Status: PLANNING

Client: Sainsbury's

Project Title: SAINSBURYS LOCAL 222-228 PORTOBELLO HIGH STREET, EDINBURGH, EH15 2AU

Drawing Title: PROPOSED GROUND FLOOR PLAN & BASEMENT PLAN

Project Number	Drawing Number	Revision
11_1059	302	D

Drawn	Checked	Scale	Date
mr		AS SHOWN @A1	13/08/12

The content of this drawing is the property of arc@RC Limited and may not be copied in whole or part without formal consent.